## Before the FEDERAL COMMUNICATIONS COMMISSION Washington, D.C. 20554

In the Matter of	)	FCC/MEL	LC:	WIN DEC.
EchoStar Satellite Corporation	)	File No.		UN 052003
Application for Authority to Construct, Launch and Operate a Direct Broadcast Satellite in the 12.2-12.7 GHz and 17.3-17.8 GHz Frequency Bands at the 96.5° W.L. Orbital Location	)	S2453 S EchoStar Sate Echostar 96.5	Ilite Con	- <b>20030605-00109</b> Poration

#### **APPLICATION**

Pursuant to Sections 308, 309 and 319 of the Communications Act of 1934, as amended, and Part 25 of the Commission's rules, 47 C.F.R. Part 25, EchoStar Satellite Corporation ("EchoStar"), a wholly-owned subsidiary of EchoStar Communications Corporation, hereby applies for authority to construct, launch and operate a Direct Broadcast Satellite ("DBS") using the 12.2-12.7 GHz downlink frequencies and 17.3-17.8 GHz feeder uplink frequencies. EchoStar intends to launch this satellite into the 96.5° W.L orbital location and operate over all 32 DBS channels. The use of this orbital location for DBS has become possible as a result of recent advances in satellite technology that, subject to appropriate constraints, allow for properly designed DBS satellites to operate without causing harmful interference to adjacent DBS satellites.

As the Commission is well aware, EchoStar is a leading provider of DBS service in the multichannel video programming distribution ("MVPD") market with over eight million subscribers. EchoStar and other EchoStar affiliates own and operate eight DBS satellites located

at the 61.5° W.L., 110° W.L., 119° W.L., and 148° W.L. orbital positions. The new DBS satellite that is the subject of this Application will be integrated into EchoStar's overall satellite constellation. The additional channel capacity provided by this new satellite will be used to serve EchoStar's subscribers with new and innovative DBS and other spectrum-intensive services such as high-definition television ("HDTV"), more local channels and interactive multimedia offerings. These services will complement the existing DBS services presently being offered over EchoStar's current fleet of DBS satellites.

Attached to this Application is the information required to modify the Broadcasting-Satellite Service plans for the International Telecommunication Union ("ITU")'s Region 2.<sup>2</sup> EchoStar urges the Commission to forward this material promptly to the ITU and request a modification of the Broadcasting-Satellite Service plans for Region 2, under the procedures set forth in Article 4 of Appendix 30 and Article 4 of Appendix 30A of the Radio Regulations.<sup>3</sup>

<sup>&</sup>lt;sup>1</sup> EchoStar recently received authorization to operate a satellite using three channels at the 157° W.L. orbital location. *In the Matter of EchoStar Satellite Corp., For Assignment of Direct Broadcast Satellite Orbital Position and Channels*, Order, File No. DBS-88-01, DA 03-1510 (Int'l Bur. rel. May 7, 2003). EchoStar is also authorized to provide Fixed-Satellite Service from a number of orbital locations. In addition, on May 30, 2003, EchoStar filed an application requesting authority to construct, launch and operate a DBS satellite over all 32 DBS channels at 114.5° W.L. using the 12.2-12.7 GHz downlink frequencies and 17.3-17.8 GHz feeder uplink frequencies. *See* File No. SAT-LOA-\_\_\_\_\_\_\_.

<sup>&</sup>lt;sup>2</sup> See Attachment 1 and Exhibits A-B appended thereto. The complex analysis of Annex 1 to Appendix 30 and Annex 1 to Appendix 30A including MSPACE, which is used to determine if coordination with other Administrations may be required, will be submitted shortly under separate cover.

<sup>&</sup>lt;sup>3</sup> "Broadcasting-Satellite Service" or "BSS" is the terminology used internationally and by the ITU to describe what is referred to in the United States as Direct Broadcast Satellite or "DBS" service.

#### I. INTRODUCTION

The international Radio Regulations set forth assignments of Broadcasting-Satellite Service ("BSS") spectrum at specific orbital locations for countries in the ITU's Region 2 (North and South America). These assignments, part of the Region 2 "BSS Plan" and associated "Feeder Link Plan" (collectively the "Region 2 Plans"), are contained in Appendices 30 and 30A of the Radio Regulations. The Region 2 Plans, developed in the early 1980's, set forth technical parameters for satellites operating in the region, as well as a mechanism for implementing systems with technical parameters that vary from the planned assignments.<sup>4</sup>

In accordance with Appendices 30 and 30A, DBS orbital assignments to the United States and Canada are generally separated by nine degrees.<sup>5</sup> This satellite spacing is considerably greater than the two degree spacing typically deployed in the United States for the FSS bands. The intent behind this wide spacing was to accommodate the higher power deployed by DBS satellites and to allow for the use of consumer-friendly small receive dishes, while ensuring that there would be no harmful interference between adjacent DBS satellites.<sup>6</sup>

Questions have recently been raised, however, as to whether the technical assumptions underlying the nine degree spacing for BSS satellites set forth in the Region 2 Plans are still valid. In May 2002, the Commission sought comment on a petition filed by SES AMERICOM, Inc. to make capacity available for direct-to-home ("DTH") service to the United States on a foreign-licensed satellite that would operate midway between two U.S. DBS orbital

<sup>&</sup>lt;sup>4</sup> See In the Matter of Policies and Rules for Direct Broadcast Satellite Service, Notice of Proposed Rulemaking, 13 FCC Rcd. 6907, 6931, ¶ 44 (1998) ("DBS Services Rules NPRM")

<sup>&</sup>lt;sup>5</sup> See Radio Regulations, Appendix 30, Article 10; see also In the Matter of Policies and Rules for Direct Broadcast Satellite Service, Report and Order, 17 FCC Rcd. 11331, 11335, ¶ 6 (2002) ("DBS Service Rules").

<sup>&</sup>lt;sup>6</sup> See id. at 11335, n. 33.

locations, separated by only 4.5 degrees.<sup>7</sup> The SES petition maintained that the Region 2 Plans are based on analog technology that is now outdated, and that recent technological advances have made it possible for properly designed, high-power DBS satellites to operate at 4.5 degree separations without causing harmful interference to one another when serving the same geographic areas.<sup>8</sup> While EchoStar did not object to the entry of a new competitor into the MVPD market, SES's novel technical assertions were met with skepticism by EchoStar and others based on a preliminary analysis of SES's approach, which did not appear to support SES's conclusions regarding the feasibility of 4.5 degree spacing of DBS satellites.<sup>9</sup> EchoStar has consistently made clear, however, that its primary concern is maintaining reliable service for the millions of DBS subscribers throughout the United States who use small receive-only earth stations, and that it does not oppose any operation that will not disrupt current or planned service to U.S. DBS subscribers.<sup>10</sup>

Additional technical analysis conducted by EchoStar suggests that operation of a properly-designed DBS satellite at 96.5° W.L. could be managed (and made subject to appropriate restrictions) so as not to cause harmful interference to adjacent satellite networks serving the same geographic areas. As the attached Technical Annex demonstrates, operation of

<sup>&</sup>lt;sup>7</sup> See Public Notice, Report No. SAT-00110, at 1-2 (rel. May 17, 2002) (seeking comment on *In the Matter of SES AMERICOM, Inc.*, Petition for a Declaratory Ruling to Serve the U.S. Market Using BSS Spectrum From the 105.5° W.L. Orbital Location, File No. SAT-PDR-20020425-00071 ("SES Petition") (Apr. 25, 2002)).

<sup>&</sup>lt;sup>8</sup> See SES Petition at 16.

<sup>&</sup>lt;sup>9</sup> See, e.g. Comments of EchoStar Satellite Corporation, File No. SAT-PDR-20020425-00071, at 4 (June 17, 2002).

<sup>&</sup>lt;sup>10</sup> See Letter from Pantelis Michalopoulos, et al., Counsel to EchoStar, to Rockie Patterson, FCC, at 2 (Aug. 16, 2002); Letter from Pantelis Michalopoulos, et al., Counsel to EchoStar, to Donald Abelson, FCC, at 2 (Aug. 30, 2002).

the proposed state-of-the-art satellite at the 96.5° W.L. orbital location is technically feasible. 

Specifically, the original Region 2 Plans assumed that the channels would be power limited (as opposed to interference limited), due primarily to analog signaling and the power limitations of the previous generation of satellites. As a result, accommodations were made to maximize the amount of power reaching the user's set top box (*i.e.*, larger user antennas and higher powered (but fewer) transponders on the satellite). These techniques made up for the lack of digital encoding and of advanced error correction techniques that are prevalent today. Because of these and other advances, current channel operation is not limited by power but by interference, or more precisely, by the carrier to interference ratio, designated as C/I. Through the careful coordination of power levels and frequencies delivered to a given area on the ground by satellites that are separated by 4.5 degrees, C/I levels could be managed to support economically viable DBS operations at these reduced orbital spacings. Moreover, through the proper design of the proposed satellite, including beam shaping and power roll-off, harmful interference to other nearby planned BSS systems can be avoided.

The Commission has already observed that advances in technology over the years have resulted in use of technical parameters on DBS satellites that differ from those upon which the Region 2 Plans were based.<sup>12</sup> Indeed, because the Region 2 Plans are nearly twenty years old, it comes as no surprise that some of the technology upon which they are based has become obsolete. For this reason, modification of the Region 2 Plans has become a necessity to

<sup>&</sup>lt;sup>11</sup> See Attachment 1.

<sup>&</sup>lt;sup>12</sup> See DBS Service Rules, 17 FCC Rcd. at 11383, ¶ 112. For example, the Commission has explained, U.S. DBS systems use digital rather than analog modulation techniques, have lower downlink e.i.r.p., have extended the original intended service area delineated by the radio frequency beams, use larger feeder-link transmit earth station antennas, and receive earth station antennas with smaller diameters than were assumed during the creation of the Region 2 Plans. *Id.* 

accommodate modern BSS systems, prompting the Commission to note that "[m]odifications of the BSS plans are expected not only to continue, but also to increase, in the future." <sup>13</sup>

As the Commission is well aware, where DBS systems seek to incorporate parameters that differ from the planned assignments, the U.S. Administration must initiate a modification to the Region 2 Plans using the procedures set forth in Article 4 of Appendix 30 and Article 4 of Appendix 30A of the Radio Regulations. Such modifications are not novel—modification requests are contemplated by the Commission's Rules, and the U.S. Administration has undertaken to modify the BSS Plans on several occasions on behalf of U.S. space station applicants in Region 2, as well as Regions 1 (Europe and Africa) and 3 (Asia-Pacific). Similarly, the Commission immediately should initiate a requested modification to the Region 2 Plans to incorporate the orbital slot assignment contained in this Application.

<sup>&</sup>lt;sup>13</sup> EchoStar Satellite Corp., Order and Authorization, 17 FCC Rcd. 894, 897, n.21 (Int'l Bur. 2002); DirecTV Enterprises, Inc., Order and Authorization, 16 FCC Rcd. 18530, 18533, n.17 (Int'l Bur. 2002).

 $<sup>^{14}</sup>$  See DBS Service Rules NPRM, 13 FCC Rcd. at 6931,  $\P$  44.

<sup>&</sup>lt;sup>15</sup> See 47 C.F.R. § 25.111(c) ("In the Direct Broadcast Satellite Service, applicants and licensees shall also provide the Commission with all information it requires in order to modify the Appendix 30 Broadcasting-Satellite Service ("BSS") Plans and associated Appendix 30A feeder link Plans, if the system uses technical characteristics differing from those specified in the Appendix 30 BSS Plans, the Appendix 30A feeder link Plans, Annex 5 to Appendix 30 or Annex 3 to Appendix 30A.")

<sup>&</sup>lt;sup>16</sup> For example, in 1995, the United States filed for several modifications (in both the Region 2 Plans and the Regions 1 and 3 Plans) to provide BSS throughout the world. These modifications resulted in the inclusion of five U.S. BSS systems in the Regions 1 and 3 "Lists" for BSS downlinks.

<sup>&</sup>lt;sup>17</sup> See Radio Regulations, Appendix 30, Article 10.

required by the Commission's Rules, EchoStar provides in Attachment 1 to this Application, the information required to modify the Appendix 30 and Appendix 30A Region 2 Plans.<sup>18</sup>

The following information is also provided to the Commission in support of this Application:

#### II. APPLICANT NAME AND CONTACT INFORMATION

Name, address and phone number of applicant:

EchoStar Satellite Corporation 5701 South Santa Fe Littleton, CO 80120 (303) 723-1000

Names, addresses and phone numbers of persons to whom inquiries or correspondence should be directed:

EchoStar Satellite Corporation Attn: Mr. David K. Moskowitz 5701 South Santa Fe Littleton, CO 80120 (303) 723-1000

Pantelis Michalopoulos
Philip Malet
Rhonda M. Bolton
Todd B. Lantor
Steptoe & Johnson LLP
1330 Connecticut Avenue, N.W.
Washington, DC 20036
(202) 429-3000

#### III. OWNERSHIP INFORMATION

This information is set forth in the attached FCC Form 312.<sup>19</sup>

<sup>&</sup>lt;sup>18</sup> See Attachment 1 and Exhibits appended thereto. See also note 2, supra.

<sup>&</sup>lt;sup>19</sup> See Attachment 2.

#### IV. GENERAL DESCRIPTION OF SERVICES TO BE PROVIDED

The primary use of the proposed satellite is expected to be for MVPD services in the United States. It is anticipated that most of the capacity on this satellite will be used for serving the U.S.; however, at least some of the beam coverage will extend beyond the United States into portions of Canada. Subject to obtaining any necessary international regulatory approvals, EchoStar also may provide MVPD services to other ITU Region 2 countries.

The additional capacity afforded by the new satellite can be used, in conjunction with EchoStar's current fleet of satellites and facilities, to offer subscribers more local service, new and expanded programming choices, and more meaningful competition to the dominant cable providers. Some of this programming, such as HDTV, is extremely spectrum intensive, requiring many times more bandwidth than standard NTSC video signals. To date, EchoStar has only been able to offer its subscribers a limited amount of HDTV programming due to the constraints on its spectrum capacity. With the addition of this new satellite however, there will be more capacity available to offer DBS subscribers significantly more HDTV and other bandwidth intensive programming.

EchoStar further anticipates that it will be able to offer a wider range of niche programming with the additional satellite capacity, including more international, foreign language, informational and educational programs, to its DBS subscribers. There are approximately 8.0 million households in the United States headed by persons of foreign nationality, encompassing 22.6 million foreign-born persons living in the United States. Generally, it is not cost effective for traditional broadcasters or cable companies to serve these households with multiple program offerings because of the generally low number of niche customers in any particular local market. These customers, along with other subscribers

interested in receiving international and cultural programming, create an opportunity to provide more foreign language and international content over EchoStar's DISH Network.

Specialized programming and other services could also be made available to business users that are a potential large untapped market for MVPD services. EchoStar estimates that there are approximately 8 million businesses and over 200,000 schools, libraries and other institutions that desire access to high quality video, audio and data programming services. EchoStar believes that with the increased capacity provided by this new satellite and its other proposed DBS satellites, more specialty services, data, informational, educational, foreign language and other niche programming can be directed toward this market in order to attract new subscribers.

#### V. GENERAL DESCRIPTION OF SATELLITE, FACILITIES AND OPERATIONS

A detailed technical description of EchoStar's proposed DBS satellite, facilities and operations is set forth in Attachment 1, hereto.

#### VI. INTERFERENCE ANALYSIS AND ITU FILINGS

As noted above, the information required by the Commission to submit a request for modification of the Region 2 Plans, and the necessary Radio Regulations Appendix 4 information required by the ITU Radiocommunication Bureau to advance publish, coordinate and notify the frequencies to be used for tracking, telemetry and control functions, is set forth in Attachment 1.<sup>20</sup> As demonstrated in this material, EchoStar's proposed new DBS satellite should be able to operate without causing any harmful interference to other BSS satellites identified in the Region 2 Plans..

<sup>&</sup>lt;sup>20</sup> See 47 C.F.R. 25.111(c).

#### VII. TECHNICAL QUALIFICATIONS - DUE DILIGENCE MILESTONES

This Application satisfies the Commission's coverage rules for new DBS licensees. EchoStar's proposed satellite will be capable of serving CONUS, Alaska, and Hawaii.<sup>21</sup> EchoStar is also prepared to comply with the Commission's due diligence requirements for DBS satellites by completing contracting for construction of the proposed satellite within one year of the grant of a construction permit, completing construction of the first satellite within four years of the grant, and placing the satellite in operation within six years of the grant.<sup>22</sup>

#### VIII. SYSTEM COSTS AND FINANCIAL QUALIFICATIONS

EchoStar estimates that the cost of constructing and launching the proposed satellite and operating it for one year will be as follows:

Construction, Launch and Insurance \$ 250-300 million

Other Miscellaneous Costs 25-50 million

First Year Operational Costs 10-15 million

TOTAL Estimated Costs \$ 285-365 million

While the Commission does not require a prior demonstration of financial fitness for DBS system applicants, EchoStar is a publicly traded company that clearly has the financial capacity to fund these costs. EchoStar's financial qualifications are a matter of public record.

<sup>&</sup>lt;sup>21</sup> See 47 C.F.R. § 25.148(c).

<sup>&</sup>lt;sup>22</sup> See 47 C.F.R § 25.148 (b).

#### IX. LEGAL QUALIFICATIONS

EchoStar's legal qualifications are a matter of record and are also set forth in the Form 312 submitted today.

#### X. STATUS OF OPERATIONS

EchoStar intends to operate these DBS satellites on a non-broadcast, non-common carrier basis.<sup>23</sup>

#### XI. PUBLIC INTEREST CONSIDERATIONS

EchoStar has long sought ways in which it could use spectrum and satellite capacity more efficiently and thereby, facilitate the offering of new and expanded programming choices to consumers and more meaningful competition to the dominant cable providers. The DBS system expansion EchoStar proposes here, which would take advantage of recent technological advances, is one step in this effort.

The prompt grant of EchoStar's application for authority to construct, launch and operate a new DBS satellite will clearly benefit the public in many important respects. Most significantly, if the sharing issues raised by 4.5 degree spacing can be managed, the shortage of full-CONUS capacity in the 12.2-12.7 GHz band may be relieved somewhat, permitting the expansion of DBS services to meet the acknowledged demand for additional DBS capacity.<sup>24</sup> As

<sup>&</sup>lt;sup>23</sup> See 47 C.F.R. § 25.114(c)(14).

<sup>&</sup>lt;sup>24</sup> See In the Matter of Redesignation of the 17.7-19.7 GHz Frequency Band, Blanket Licensing of Satellite Earth Stations in the 17.7-20.2 GHz and 27.5-30.0 GHz Frequency Bands, and the Allocation of Additional Spectrum in the 17.3-17.8 GHz and 24.75-25.25 GHz Frequency Bands for Broadcast Satellite-Service Use, Report and Order, 15 FCC Rcd. 13430, 13477, ¶ 97 (2000) ("DBS Expansion Allocation Order") ("We note that BSS is a rapidly growing service, and that additional spectrum may be required for BSS within the next decade.")

a result, EchoStar expects that it will be able to offer to subscribers more local stations, as well as a whole range of new and innovative services that otherwise could not have been made available.

These services could include more HDTV offerings and a wider range of niche programming such as international, foreign language, informational and educational programs to its subscribers, including those living in Alaska and Hawaii. Specialized programming and other services could also be made available to business users that are a potential large untapped market for MVPD services. EchoStar estimates that there are approximately 8 million businesses and over 200,000 schools, libraries and other institutions that desire access to high quality video, audio and data programming services. EchoStar believes that with the increased capacity provided by the new satellites, more specialty services, data, informational, educational, foreign language and other niche programming can be directed toward this market in order to attract new subscribers.

Such an expansion in programming will enable EchoStar to compete more effectively with cable operators that have aggressively upgraded the capacity of their systems to allow for the digital retransmission of video programming. The rollout of new digital cable upgrades and related facilities has compounded cable's incumbency advantages, and allows cable operators to offer a bundle of video and other services. The launch of a new satellite in the DBS bands provides EchoStar with a unique opportunity to meet the growing need for DBS capacity, and to meet the challenges presented by the highly competitive MVPD market.

<sup>&</sup>lt;sup>25</sup> See Annual Assessment of the Status of Competition in the Market for the Delivery of MVPD Competition Report, Eighth Annual Report, 16 FCC Rcd. 6005, 6009-10, ¶¶ 11, 13 (2001) ("[v]irtually all the major MSOs offer Internet access via cable modems in portions of their nationwide service areas... The cable industry has continued to invest in improved facilities. As a result, there have been increases in channel capacity, the deployment of digital transmissions, and non-video services such as Internet access. Cable operators also offer telephony...")

Consistent with the Commission's stated goals for use of the DBS bands,
EchoStar's proposed satellite, which is designed to maximize the efficient use of orbital and
spectrum resources, also will help foster the development of next-generation DBS services and
satellite telecommunications technologies needed to implement them.<sup>26</sup> Thus, grant of this
Application will assist the United States in enhancing its global leadership role in advanced
satellite systems and services.

In sum, by enhancing competition in the MVPD market, boosting the competitiveness of the DBS industry and facilitating the efficient use of orbital and spectrum resources, the proposed satellite will serve the public interest and simultaneously adhere to the Commission's stated policy goals for the DBS bands.<sup>27</sup> Accordingly, the Commission should not only grant this Application because it is in the public interest, it should do so expeditiously.

#### XII. WAIVER PURSUANT TO SECTION 304 OF THE COMMUNICATIONS ACT

In accordance with Section 304 of the Communications Act of 1934, as amended, 47 U.S.C. § 304, EchoStar hereby waives any claim to the use of any particular frequency or of

<sup>&</sup>lt;sup>26</sup> See DBS Service Rules NPRM, 13 FCC Rcd. at 6908, ¶ 1 ("In light of the growth of DBS and DTH-FSS, the promise of new broadband systems, the continuing rise in cable rates, as well as consumer benefits from competition such as more service offerings, better consumer service, and downward pressure on prices, we believe it is particularly important to continue to examine our policies to ensure that they are procompetitive and deregulatory."); see also DBS Expansion Allocation Order, 15 FCC Rcd. at 13431, ¶ 2 ("The 18 GHz band currently serves a variety of communications needs and has the potential to provide consumers, both business and residential, with exciting new services in the years to come.")

<sup>&</sup>lt;sup>27</sup> See DBS Expansion Allocation Order, 15 FCC Rcd. at 13431, ¶ 1 ("With this Report and Order, we adopt rules that will permit the efficient use of spectrum for existing and future users, and will facilitate the deployment of new services in the 17.7-20.2 GHz band.")

the electromagnetic spectrum as against the regulatory power of the United States because of the previous use of same, whether by license or otherwise.

### XIII. CONCLUSION

For the foregoing reasons, EchoStar respectfully requests that the Commission promptly approve this Application as in the public interest, convenience and necessity.

#### Respectfully submitted,

### **EchoStar Satellite Corporation**

David R. Goodfriend Director, Legal and Business Affairs EchoStar Satellite Corporation 1233 20<sup>th</sup> Street, NW, Suite 701 Washington, D.C. 20036 (202) 293-0981

Pantelis Michalopoulos Steptoe & Johnson LLP 1330 Connecticut Ave., N.W. Washington, DC 20036 (202) 429-3000

Counsel for EchoStar Satellite Corporation

Dated: June 5, 2003

David K. Moskowitz/

Senior Vice President and General Counsel

**EchoStar Satellite Corporation** 

5701 South Santa Fe Littleton, CO 80120 (303) 723-1000

# Attachment 1

#### **TECHNICAL ANNEX**

### **Technical Description of EchoStar-96.5W**

#### 1. General Description

EchoStar-96.5W will deliver 32 DBS channels from the 96.5°W.L. geostationary orbital position. A single North American shaped antenna beam is used to broadcast over all of CONUS, Alaska, Hawaii, Puerto Rico, US Virgin Islands and Mexico. Full frequency reuse is achieved by the use of dual circular polarization. Uplinks are provided from either of EchoStar's two existing facilities: Cheyenne, WY and Gilbert, AZ.

#### 2. <u>Satellite Transmit Performance (Downlink)</u>

The EchoStar-96.5W satellite has a single North American shaped transmit beam that operates in both RHC and LHC polarizations. The EIRP performance of this beam is shown in Figure 2-1. The performance in both polarizations is nominally the same.




Figure 2-1: North American Shaped Beam Transmit EIRP Contours (54, 52, 50, 48, 46, 41 and 36 dBW)

The EIRP levels shown in Figure 2-1 are for high power mode (*see* Section 5 for explanation of the different modes of operation). In low power mode, the EIRP levels are approximately 2.8 dB lower than those shown in Figure 2-1.

#### 3. Satellite Receive Performance (Uplink)

The EchoStar-96.5W satellite has a single receive beam that provides coverage of both EchoStar feeder uplink sites at Cheyenne, WY and Gilbert, AZ. This receive beam operates in both RHC and LHC polarizations. The G/T performance of this beam is shown in Figure 3-1. The performance in both polarizations is nominally the same.




Figure 3-1: Receive Beam G/T Contours (+8.4, +6.4, +4.4, +2.4, +0.4, -4.6, -9.6 dB/K)

The G/T performance in the direction of the EchoStar feeder uplink sites is summarized in Table 3-1.

Uplink Site	Minimum G/T (dB/K)
Gilbert, AZ	8.4
Cheyenne, WY	8.4

Table 3-1: G/T Performance towards EchoStar Uplink Sites

#### 4. Frequency Plans

The EchoStar-96.5W satellite uses the standard channel center frequencies and channel bandwidths prescribed in the ITU's Region 2 BSS Plan.<sup>2</sup> The difference is that the polarization of the channels is opposite to that in the Plan. This helps to reduce interference with respect to the adjacent US BSS satellites, because the guard band between transponders is now co-polar with the adjacent satellites' transponders, due to the fact that co-polar and cross-polar channels are offset by approximately half the transponder bandwidth.

#### 5. <u>Communications Payload Configuration</u>

The uplink signals are received in both polarizations by the satellite receive antenna. Two active receivers are used – one for each polarization. After appropriate down-conversion, channel filtering and amplification the signals are transmitted using a single 120 Watt Traveling Wave Tube Amplifier (TWTA) per channel in the case of low power mode operation. Each channel can also be configured to use two parallel 120W TWTAs for high power mode operation, giving a corresponding increase in the EIRP level of approximately 2.8 dB. In total, the communications payload can support 32 channels in low power mode, or 16 channels in high power mode, or the corresponding number of a mixture of high power and low power mode transponders. The reconfiguration of all transponders is switchable by ground telecommand. The outputs of all the TWTAs operating in the same polarization are then multiplexed into the appropriate downlink antenna port.

#### 6. TT&C

The EchoStar-96.5W satellite and associated TT&C earth stations will operate TT&C signals at the following frequencies:

Command frequencies (transfer orbit only): In the 14.0-14.5 GHz FSS band,

subject to coordination

• Command frequencies (on-station): In the edges of the 17.3-17.8 GHz

BSS feeder link band, subject to

coordination.

Telemetry frequencies: In the edge of the 12.2-12.7 GHz

BSS downlink band, subject to

coordination.

The exact frequencies selected for TT&C will be notified to the Commission when the information is available.

Channel bandwidth is 24 MHz. Spacing between center frequencies of adjacent co-polar channels is 29.16 MHz. Cross-polar channels offset by 14.58 MHz.

The primary TT&C earth stations will be in Gilbert, AZ and Cheyenne, WY.

Telecommand (including ranging) signals can be received by the satellite using wide-angle antennas or the feeder uplink receive antenna using right hand circular polarization. The command signal format is PCM/PSK/FM with command sub-carrier frequency of 16 kHz and a bit-rate of >250 bits/s. The satellite telecommand receive signal flux density levels are approximately -82 dBW/m² when operating with the wide-angle antenna at 14 or 17 GHz, and approximately -93 dBW/m² when operating with the high gain feeder uplink receive antenna at 17 GHz when in normal mode on-station.

Telemetry transmissions can utilize wide-angle antennas or the high gain North American shaped beam antenna using left hand circular polarization. The telemetry signal format is PCM/PSK Bi-phase L with subcarriers at 48 kHz (normal mode) and 72 kHz (auxiliary mode). Phase modulation is used with deviations of 1.0, 0.7 and 0.6 radians for 1, 2 and 3 subcarriers respectively. The telemetry data rate is 4,800 bits/s.

The telemetry downlink EIRP will be approximately +8 dBW when in normal mode onstation (through the North American shaped beam antenna).

#### 7. Spacecraft Description and Launch Vehicle

The manufacturer of the EchoStar-96.5W satellite has not yet been decided. However, it will use a state-of-the-art high power spacecraft platform, available from a choice of satellite manufacturers. The spacecraft dry mass will be in the 2,000 Kg range and although dependent on the launch vehicle selected, the launch mass will be approximately 4,200 Kg.

The likely antenna configuration will consist of two large single surface reflectors for the North American downlink beam, deployed from the east and west sides of the spacecraft, and a small feeder uplink receive antenna mounted on the earth deck.

The design life of the satellite is 15 years.

The EchoStar-96.5W spacecraft will be compatible with a number of commercially available launch vehicles, including Atlas V, Ariane 5, Proton and Sea Launch.

#### 8. Feeder Links

The EchoStar-96.5W feeder link earth stations will be located at EchoStar's existing facilities in Cheyenne, WY and Gilbert, AZ. EchoStar will file the necessary earth station modification applications with the FCC for the EchoStar-96.5W feeder link earth stations.

#### 9. <u>ITU Submissions</u>

Exhibit A to this Technical Annex provides the ITU submission of AP4 (ITU Appendix 4 of the Radio Regulations) data for the downlinks from the EchoStar-96.5W satellite. Exhibit B to this Technical Annex contains the corresponding information concerning the feeder uplinks to the EchoStar-96.5W satellite.

#### 10. Compliance with ITU Annexes 1 to Appendices 30 and 30A

Annexes 1 to Appendices 30 and 30A provide criteria to determine if another administration is affected by a proposed modification to the Region 2 BSS Plan. If an administration is found to be affected then the agreement of that administration is sought through the procedures of the ITU.

The EchoStar-96.5W satellite has been designed to be compatible, to the maximum extent possible, with the neighboring US DBS satellites at 101°W as explained in section 11 below. The neighboring Canadian satellite at 91°W is 5.5° away giving some additional isolation relative to the neighboring US satellites, and so compatible operation with this Canadian satellite should also be possible. EchoStar anticipates that MSPACE analysis will reveal that no assignments outside of the orbital range 101°W to 91°W are affected by the EchoStar-96.5W satellite. Within this orbital range there are also some orbital assignments to certain Caribbean countries that may be potentially affected. Interference isolation to these countries' assignments is provided by a combination of orbital separation and roll-off in the gain contours of the downlink antenna of the EchoStar-96.5W satellite, and it is likely that this will result in compatible operation with respect to these assignments.

The complex analyses of Annex 1 to Appendix 30 and Annex 1 to Appendix 30A, including MSPACE, which are used to determine if coordination with other Administrations may be required, will be submitted under separate cover.

#### 11. Compatibility with Adjacent US DBS Satellites at 101°W

The North American shaped beam of the EchoStar-96.5W satellite has been designed to minimize the downlink interference from the EchoStar-96.5W satellite to the adjacent US DBS satellites at 101°W. This is achieved by designing the EIRP contours to be as similar as possible in roll-off to those of the neighboring satellites. In this way the worst-case "delta-EIRP", which directly determines the interference levels, can be minimized.<sup>3</sup>

The "delta-EIRP" is defined as the EIRP level of the interfered-with satellite minus the EIRP level of the interfering satellite, at all points in the service area of the interfered-with satellite. This can be represented as a set of contours over the service area.

Exhibit A to Technical Annex (EchoStar-96.5W)

## Exhibit A to Technical Annex (EchoStar-96.5W)

## ANNEX 2A to APPENDIX 4 INFORMATION FOR USABSS-19 at 96.5° W.L. for AP30 BSS

	Identity of the satellite network ty of a satellite network: USABSS-19
b)	Country and Beam Identification:
f)	USA and BSS-19A Country symbol of the notifying administration: USA
A.2 a)	Date of Bringing Into Use Date of Bringing into Use: May 28, 2011
A.3 A.3	Operation administration or agency Operating administration or agency: 120
A.4.a 1) 2)	Orbital information  Nominal geographical longitude on the GSO: 96.5°W  Planned longitudinal tolerance and inclination excursion: ±0.05° E-W; ±0.05° N-S
A.5 None	Coordination
A.6 None	Agreements
	Regular hours of operation – 24:00, 365 days/year
B.1 BSS-1	Designation of the satellite antenna beam  9A
B.3 d) g) 1)	Geostationary Space Station Antenna Characteristics  Pointing accuracy of the antenna: 0.12°  Case of space station submitted under Appendix 30:  Max co-polar gain of beam BSS-19A antenna: 34.2 dBi.  Max cross-polar gain of beam BSS-19A antenna: 4.0 dBi.
2)	Beam is a shaped beam
3)	For circular beams: Not Applicable – the beam is a shaped beam

For elliptical beams: Not Applicable – the beam is a shaped beam

4)

#### 5) For beams of other than circular or elliptical shape:

Co-polar and cross-polar gain contours are provided in electronic format:

Co-polar gain contours:

BSS-19ACPOL.gxt

Cross-polar gain contours:

BSS-19AXPOL.gxt

Beam aim point longitude: 80.520°W Beam aim point latitude: 34.885°N

#### C.2.a Assigned frequencies

Channels 1 - 32. Assigned frequencies correspond to center frequencies as described in Table 4 of Article 10 of Appendix 30.

#### C.4 Class of station(s) and nature of service

Class of station: EV Nature of service: CR

#### C.6 Polarization

Type of polarization: Circular

Sense of polarization:

Odd-numbered channels: LHCP Even-numbered channels: RHCP

#### C.7.a Class of emission and necessary bandwidth

Class of emission: 24M0G7W Necessary bandwidth: 24 MHz

#### C.8.h Power characteristics of the transmission

Power supplied to the antenna: 21.8 dBW

#### Maximum Power density per Hz:

Over Worst 27 MHz: -52.0 dBW/ Hz Over Worst 5 MHz: -52.0 dBW/ Hz Over Worst 40 kHz: -52.0 dBW/ Hz Over Worst 4 kHz: -52.0 dBW/ Hz

#### C.9.b Information on modulation characteristics

In case of space station submitted in accordance with Appendix 30

- 1) Type of modulation: QPSK and 8PSK
- 2) Pre-emphasis characteristics: not applicable
- 3) TV standard: not applicable
- 4) Sound broadcasting characteristics:

time division multiplexed compressed digital audio and data

5) Frequency deviation: not applicable

- 6) Composition of the baseband:
  - time division multiplexed compressed digital video and audio
- 7) Type of multiplexing of the video and sound signal: time division multiplex
- 8) Energy dispersal characteristics: carrier will always be modulated
- 9) Effective and transmitted bit/symbol rate:

Transmitted Rate: 20 Msymbols/s (QPSK 40 Mbits/s, 8PSK 60 Mbits/s) Effective Rate: 13.8 Msymbols/s (QPSK 27.6 Mbits/s, 8PSK 41.4 Mbits/s)

10) Roll-off factor of the filter of the receiver: In accordance with BO-1293-1

### C.10.c Type and identity of the associated station(s)

For an associated earth station (whether specific or typical):

#### 45 cm Dish

- 2) Isotropic gain of the antenna in the direction of maximum radiation: 34.0 dBi
- 3) Beamwidth in degrees between the half power points: 3.5°
- 4) Radiation pattern of the antenna: Region 2 reference antenna pattern in AP30
- 6) Equivalent diameter of the antenna: 0.45 meters

#### 60 cm Dish

- 2) Isotropic gain of the antenna in the direction of maximum radiation: 36.5 dBi
- 3) Beamwidth in degrees between the half power points: 2.8°
- 4) Radiation pattern of the antenna: Region 2 reference antenna pattern in AP30
- 6) Equivalent diameter of the antenna: 0.60 meters

#### 90 cm Dish

- 2) Isotropic gain of the antenna in the direction of maximum radiation: 39.6 dBi
- 3) Beamwidth in degrees between the half power points: 1.85°
- 4) Radiation pattern of the antenna: Region 2 reference antenna pattern in AP30
- 6) Equivalent diameter of the antenna: 0.90 meters

#### 1.2 m Dish

- 2) Isotropic gain of the antenna in the direction of maximum radiation: 42.0 dBi
- 3) Beamwidth in degrees between the half power points: 1.55°
- 4) Radiation pattern of the antenna: Region 2 reference antenna pattern in AP30
- 6) Equivalent diameter of the antenna: 1.20 meters

#### C.11.b Service area

Service area:

USA, ALS, HWA, MEX, PTR, and VIR.

### Test points for BSS-19A Beam:

Test Point #	Longitude (°W)	Latitude (°N)
1	117.0	32.8
2	103.3	29.3
3	97.5	26.2
4	80.7	25.5
5	76.3	35.7
6	69.3	47.0
7	85.2	46.4
8	105.0	48.7
9	122.3	48.7
10	123.8	40.3
11	105.0	39.7
12	86.0	33.0
13	81.0	40.0
14	156.3	20.8
15	66.3	18.2
16	149.8	61.2
17	134.4	58.6
18	87.3	21.1
19	92.5	15.6
20	102.9	20.8

C.15 Description of groups required in the case of non-simultaneous emissions

Not applicable.

## <u>D.</u> 1)

## Overall link characteristics Connection between Earth-to-space and space-to-Earth frequencies in the network:

Uplink	Uplink	Downlink	Downlink
Channel	Beam	Channel	Beam
1	BSS-19T	1	BSS-19A
2	BSS-19T	2	BSS-19A
3	BSS-19T	3	BSS-19A
4	BSS-19T	4	BSS-19A
5	BSS-19T	5	BSS-19A
6	BSS-19T	6	BSS-19A
7	BSS-19T	7	BSS-19A
8	BSS-19T	8	BSS-19A
9	BSS-19T	9	BSS-19A
10	BSS-19T	10	BSS-19A
11	BSS-19T	11	BSS-19A
12	BSS-19T	12	BSS-19A
13	BSS-19T	13	BSS-19A
14	BSS-19T	14	BSS-19A
15	BSS-19T	15	BSS-19A
16	BSS-19T	16	BSS-19A
17	BSS-19T	17	BSS-19A
18	BSS-19T	18	BSS-19A
19	BSS-19T	19	BSS-19A
20	BSS-19T	20	BSS-19A
21	BSS-19T	21	BSS-19A
22	BSS-19T	22	BSS-19A
23	BSS-19T	23	BSS-19A
24	BSS-19T	24	BSS-19A
25	BSS-19T	25	BSS-19A
26	BSS-19T	26	BSS-19A
27	BSS-19T	27	BSS-19A
28	BSS-19T	28	BSS-19A
29	BSS-19T	29	BSS-19A
30	BSS-19T	30	BSS-19A
31	BSS-19T	31	BSS-19A
32	BSS-19T	32	BSS-19A

Exhibit B to Technical Annex (EchoStar-96.5W)

## Exhibit B to Technical Annex (EchoStar-96.5W)

### ANNEX 2A TO APPENDIX 4 INFORMATION FOR USABSS-19 at 96.5 W.L. for AP30A Feeder Links

#### A.1 Identity of the satellite network

- a) Identity of a satellite network: USABSS-19
- c) Country and Beam Identification: USA and BSS-19T
- f) Country symbol of the notifying administration: USA

#### A.2 Date of Bringing Into Use

a) Date of Bringing into Use: May 28, 2011

#### A.3 Operation administration or agency

A.3 Operating administration or agency: 120

#### A.4 Orbital information

- a)1) Geographical longitude on the GSO: 96.5°W
- a)2) Planned longitudinal tolerance and inclination excursion: ±0.05° E-W; ±0.05° N-S

#### A.5 Coordination

None

#### A.6 Agreements

None

#### A.7 Earth station site characteristics

a) Horizon elevation angle in degrees for each azimuth around the earth station:

#### Cheyenne earth station:

Azimuth (Deg)	Horizon Elevation	Azimuth (Deg)	Horizon Elevation
	Angle (Deg)		Angle (Deg)
0	0.9	180	0.7
5	0.6	185	0.6
10	0.6	190	0.7
15	0.6	195	0.7
20	0.6	200	0.8
25	0.6	205	0.8
30	0.3	210	0.9
35	0.4	215	0.9
40	0.4	220	0.9
45	0.3	225	1.0

50	0.3	230	1.0
55	0.3	235	1.0
60	0.3	240	1.0
65	0.3	245	1.0
70	0.0	250	1.0
75	0.0	255	1.0
80	0.0	260	1.0
85	0.0	265	1.1
90	0.2	270	1.2
95	0.2	275	1.2
100	0.0	280	1.2
105	0.0	285	1.2
110	0.0	290	1.2
115	0.0	295	1.2
120	0.2	300	1.2
125	0.3	305	1.1
130	0.4	310	1.1
135	0.3	315	1.2
140	0.3	320	0.9
145	0.3	325	1.0
150	0.3	330	1.0
155	0.3	335	1.0
160	0.4	340	0.9
165	0.7	345	0.9
170	0.7	350	0.9
175	0.7	355	0.9

### Gilbert earth station:

Azimuth	Horizon Elevation	Azimuth	Horizon Elevation
(Deg)	Angle (Deg)	(Deg)	Angle (Deg)
0	0.00	180	0.00
5	0.00	185	0.00
10	0.00	190	0.00
15	0.00	195	0.00
20	0.00	200	0.00
25	0.00	205	0.00
30	0.00	210	0.00
35	0.00	215	0.00
40	0.00	220	0.00
45	0.00	225	0.00
50	0.00	230	0.00
55	0.00	235	0.00
60	0.00	240	0.00

65	0.00	245	0.00
70	0.00	250	0.00
75	0.00	255	0.00
80	0.00	260	0.00
85	0.00	265	0.00
90	0.00	270	0.00
95	0.00	275	0.00
100	0.00	280	0.00
105	0.00	285	0.00
110	0.00	290	0.00
115	0.00	295	0.00
120	0.00	300	0.00
125	0.00	305	0.00
130	0.00	310	0.00
135	0.00	315	0.00
140	0.00	320	0.00
145	0.00	325	0.00
150	0.00	330	0.00
155	0.00	335	0.00
160	0.00	340	0.00
165	0.00	345	0.00
170	0.00	350	0.00
175	0.00	355	0.00

#### Altitude (meters) of the antenna above mean sea level: d)

Cheyenne earth station: 1808.4 meters Gilbert earth station: 371.2 meters

## A.11 Regular hours of operation 00:00 – 24:00, 365 days/year

### A.12 Range of automatic gain control


Cheyenne earth station: 9 dB under operator control Gilbert earth station: 9 dB under operator control

### B.1 Designation of the satellite antenna beam

BSS-19T

#### B.3 Geostationary space station antenna characteristics

- d) Pointing accuracy of the antenna: 0.12°
- f) Gain towards the GSO Arc: see diagram below:



- g) Case of space station submitted under Appendix 30A:
- 1) Max co-polar gain of beams BSS-19T: 40.0 dBi. Max cross-polar gain of beams BSS-19T: 10.0 dBi.
- 2) Shape of the Beam: Shaped
- 3) For Circular beams: Not Applicable Beam is a shaped beam
- 4) For elliptical beams: Not Applicable Beam is a shaped beam
- 5) For beams of other than circular or elliptical shape:

Co-polar and cross-polar gain contours are provided in electronic format:

Co-polar gain contours:

BSS-19TCPOL.gxt

Cross-polar gain contours:

BSS-19TXPOL.gxt

Beam aim point longitude: 108.849°W Beam aim point latitude: 37.066°N

#### C.2.a Assigned frequencies

Channels 1 - 32. Assigned frequencies correspond to center frequencies as described in Table 2 of Article 9 of Appendix 30A.

#### C.3.a Assigned frequency band

Bandwidth of the assigned frequency band in kHz: 24000

#### C.4 Class of station(s) and nature of service

Class of station: EC Nature of service: CR

#### C.5.a Receiving system noise temperature

Lowest total receiving system noise temperature: 900 K

#### C.6 Polarization

Type of polarization: Circular

Sense of Polarization:

Odd-numbered channels: LHCP Even-numbered channels: RHCP

#### C.7 Class of emission and necessary bandwidth

a) Class of emission: 24M0G7W

b) Necessary bandwith: 24 MHz

#### C.8.i Power characteristics of the transmission

In the case of an earth station submitted in accordance with Appendix 30A:

#### Cheyenne earth station:

Total transmitting power (dBW) in the assigned frequency band supplied to the input of the antenna: 17.0

over worst 1 MHz: -56.8 dBW/Hz

over 24 MHz RF bandwidth: -56.8 dBW/Hz

Range of Power Control: 9 dB under operator control

#### Gilbert earth station:

Total transmitting power (dBW) in the assigned frequency band supplied to the input of the antenna: 17.0

over worst 1 MHz: -56.8 dBW/Hz

over 24 MHz RF bandwidth: -56.8 dBW/Hz

Range of Power Control: 9 dB under operator control

#### C.9 Information on modulation characteristics

- b) In case of space station submitted in accordance with Appendix 30A
- 1) Type of modulation: QPSK and 8PSK
  - 2) Pre-emphasis characteristics: not applicable
  - 3) TV standard: not applicable

4) Sound broadcasting characteristics:

time division multiplexed compressed digital audio and data

- 5) Frequency deviation: not applicable
- 6) Composition of the baseband:

time division multiplexed compressed digital video and audio

- 7) Type of multiplexing of the video and sound signal: time division multiplex
- 8) Energy dispersal characteristics: carrier will always be modulated
- 9) Effective and transmitted bit/symbol rate:

Transmitted Rate: 20 Msymbols/s (QPSK 40 Mbits/s, 8PSK 60 Mbits/s)

Effective Rate: 13.8 Msymbols/s (QPSK 27.6 Mbits/s, 8PSK 41.4 Mbits/s)

10) Roll-off factor of the filter of the receiver: In accordance with BO-1293-1

### C.10 Type and identity of the associated station(s)

#### Cheyenne earth station

b) For a specific associated earth station, identity of the earth station and geographical coordinates of the antenna site: Cheyenne Earth Station

Latitude: 41°7'56" N Longitude: 104°44'9" W

- c) For associated earth station:
- 1) Class of Station/Nature of Service: TC, OT
- 2) Isotropic gain of the antenna in the direction of maximum radiation: 65 dBi
- 3) Beamwidth in degrees between the half power points: 0.1°
- 4) Radiation pattern of the antenna:

Co-polar:	$29-25\log(\theta)$	for $1^{\circ} < \theta < 7^{\circ}$
	+8 dBi	for $7^{\circ} < \theta < 9.2^{\circ}$
	$32-25\log(\theta)$ dBi	for $9.2^{\circ} < \theta < 48^{\circ}$
	-10 dBi	for $48^{\circ} < \theta < 180^{\circ}$
Cross-polar:	$19-25\log(\theta)$	for $1.8^{\circ} < \theta < 7^{\circ}$
_	-2 dBi	for $7^{\circ} < \theta < /= 180^{\circ}$

6) Equivalent diameter of the antenna: 13.2 meters

#### Gilbert earth station:

b) For a specific associated earth station, identity of the earth station and geographical coordinates of the antenna site: Gilbert Earth Station

Latitude: 33°21'55.7" N; Longitude: 111°48'48.8" W

- c) For associated earth station:
- 1) Class of Station/Nature of Service: TC, OT
- 2) Isotropic gain of the antenna in the direction of maximum radiation: 65 dBi
- 3) Beamwidth in degrees between the half power points: 0.1°
- 4) Radiation pattern of the antenna:

Co-polar : 
$$29-25\log(\theta) \, dBi$$
 for  $1^{\circ} < \theta   
  $+8 \, dBi$  for  $7^{\circ} < \theta   
  $32-25\log(\theta) \, dBi$  for  $9.2^{\circ} < \theta   
  $-10 \, dBi$  for  $48^{\circ} < \theta   
 Cross-polar:  $19-25\log(\theta)$  for  $1.8^{\circ} < \theta   
  $-2 \, dBi$  for  $7^{\circ} < \theta$$$$$$ 

6) Equivalent diameter of the antenna: 13.2 meters

#### C.11 Service Area

b) Service area: Within the USA and for elevation angles of 30 degrees and greater.

Test points for beam BSS-19T:

Latitude (°N)	Longitude (°W)
41	104
42	105
34	112
33	111

### C.15 Description of Groups

Not applicable.

Overall Link Characteristics
Connection between Earth-to-space and space-to-Earth frequencies in the network:

Uplink	Uplink	Downlink	Downlink
Channel	Beam	Channel	Beam
1	BSS-19T	1	BSS-19A
2	BSS-19T	2	BSS-19A
3	BSS-19T	3	BSS-19A
4	BSS-19T	4	BSS-19A
5	BSS-19T	5	BSS-19A
6	BSS-19T	6	BSS-19A
7	BSS-19T	7	BSS-19A
8	BSS-19T	8	BSS-19A
9	BSS-19T	9	BSS-19A
10	BSS-19T	10	BSS-19A
11	BSS-19T	11	BSS-19A
12	BSS-19T	12	BSS-19A
13	BSS-19T	13	BSS-19A
14	BSS-19T	14	BSS-19A
15	BSS-19T	15	BSS-19A
16	BSS-19T	16	BSS-19A
17	BSS-19T	17	BSS-19A
18	BSS-19T	18	BSS-19A
19	BSS-19T	19	BSS-19A
20	BSS-19T	20	BSS-19A
21	BSS-19T	21	BSS-19A
22	BSS-19T	22	BSS-19A
23	BSS-19T	23	BSS-19A
24	BSS-19T	24	BSS-19A
25	BSS-19T	25	BSS-19A
26	BSS-19T	26	BSS-19A
27	BSS-19T	27	BSS-19A
28	BSS-19T	28	BSS-19A
29	BSS-19T	29	BSS-19A
30	BSS-19T	30	BSS-19A
31	BSS-19T	31	BSS-19A
32	BSS-19T	32	BSS-19A

# <u>CERTIFICATION OF PERSON RESPONSIBLE FOR PREPARING</u> <u>ENGINEERING INFORMATION</u>

I hereby certify that I am the technically qualified person responsible for preparation of the engineering information contained in this pleading, that I am familiar with Part 25 of the Commission's rules, that I have either prepared or reviewed the engineering information submitted in this pleading, and that it is complete and accurate to the best of my knowledge and belief.

Richard Barnett

Telecomm Strategies Inc. 6404 Highland Drive,

Chevy Chase, MD 20815

(301) 656-8969

Dated: June 5, 2003

# Attachment 2

FCC 312 Main Form	Approved by OMB 3060-0678 Est. Avg. Burden Hours	FCC Use Only File Number:
FEDERAL COMMUNICATIONS COMMISSION	Per Response: 11 Hrs.	Call Sign:
APPLICATION FOR SATELLITE SPACE AND EARTH STATION AUTHORIZAT	TIONS	Fee Number:

APPLICANT INFORMATION				
Legal Name of Applicant     EchoStar Satellite Corporation		2. Voice Telephone N (303) 723-1000		
3. Other Name Used for Doing Business (if any)	4. Fax Telephone Number (303) 723-1608			
5. Mailing Street Address or P.O. Box	6. City			
5701 South Santa Fe	Littleton			
ATTENTION: David K. Moskowitz	7. State / Country (if not U.S.A.)		8. Zip Code 80120	
9. Name of Contact Representative (If other than applicant)	10. Voice Telephone Number			
Pantelis Michalopoulos		(202) 429-6494		
11. Firm or Company Name Steptoe & Johnson LLP		12. Fax Telephone N (202) 429-390		
13. Mailing Street Address or P.O. Box	14. City			
1330 Connecticut Avenue, N.W.	Washington			
ATTENTION:	15. State / Country (if not U.S.A) DC		16. Zip Code 20036	

	CLASSIFI	CATION OF FILING							
17. Place an "X" in the box ne	7. Place an "X" in the box next to the classification that applies to this filing for both questions a. and b. Mark only one box for 17a and only one box for 17b.								
	bl. Application for License of New Station b6. Transfer of Control of License or Registration								
al. Earth Station	b2. Application for Registration of New Domestic Receive-Only Station	b7. Notification of Minor Modification							
	b3. Amendment to a Pending Application	b8. Application for License of New Receive-On	ly Station Using Non-U.S. Licensed Satellite						
22. Space Station b4. Modification of License or Registration b9. Letter of Intent to Use Non-U.S. Licensed Satellite to Provide Service in the United States									
	b5. Assignment of License or Registration	b10. Other (Please Specify):							
18. If this filing is in reference	to an existing station, enter:	19. If this filing is an amendment to a pending application	ation enter:						
Call sign of station:	•	(a) Date pending application was filed:	(b) File number of pending application:						
	N/A	N/A	N/A						

#### TYPE OF SERVICE 20. NATURE OF SERVICE: This filing is for an authorization to provide or use the following type(s) of service(s): Place an "X" in the box(es) next to all that apply. X e. Direct to Home Fixed Satellite a. Fixed Satellite c. Radiodetermination Satellite g. Other (please specify) Broadcasting Satellite Service f. Digital Audio Radio Service b. Mobile Satellite d. Earth Exploration Satellite 22. If earth station applicant, place an "X" in the box(es) next to all that apply. 21. STATUS: Place an "X" in the box next to the applicable status. Mark only one box. b. Using Non-U.S. licensed satellites a. Using U.S. licensed satellites a. Common Carrier b. Non-Common Carrier 23. If applicant is providing INTERNATIONAL COMMON CARRIER service, see instructions regarding Sec. 214 filings. Mark only one box. Are these facilities: N/A b. Not connected to the Public Switched Network a. Connected to the Public Switched Network 24. FREQUENCY BAND(S): Place an "X" in the box(es) next to all applicable frequency band(s). a. C-Band (4/6 GHz) (Please specify) 12.2-12.7 GHz; 17.3-17.8 GHz b. Ku-Band (12/14 GHz) TYPE OF STATION 25. CLASS OF STATION: Place an "X" in the box next to the class of station that applies. Mark only one box. If. Other a. Fixed Earth Station b. Temporary-Fixed Earth Station | c. 12/14 GHz VSAT Network d. Mobile Earth Station c. Space Station (Specify) If space station applicant, go to Question 27. 26. TYPE OF EARTH STATION FACILITY Mark only one box. N/A a. Transmit/Receive b. Transmit-Only Receive-Only PURPOSE OF MODIFICATION OR AMENDMENT 27. The purpose of this proposed modification or amendment is to: Place an "X" in the box(es) next to all that apply. a -- authorization to add new emission designator and related service b -- authorization to change emission designator and related service c -- authorization to increase EIRP and EIRP density d -- authorization to replace antenna e -- authorization to add antenna f -- authorization to relocate fixed station g -- authorization to change assigned frequency(ies) h -- authorization to add Points of Communication (satellites & countries) i -- authorization to change Points of Communication (satellites & countries) i -- authorization for facilities for which environmental assessment and radiation hazard reporting is required k -- Other (Please Specify)

#### **ENVIRONMENTAL POLICY**

28. Would a Commission grant of any proposal in this application or amendment have a significant environmental impact as defined by 47 CFR 1.1307?  If YES, submit the statement as required by Sections 1.1308 and 1.1311 of the Commission's rules, 47 C.F.R. §§ 1.1308 and 1.1311, as an exhibit to this application.		YES	<b>✗</b> NO
A Radiation Hazard Study must accompany all applications as an exhibit for new transmitting facilities, major modifications, or major amendments. Refer to OET Bulletin 65	<u>5.</u>		

#### ALIEN OWNERSHIP

29. Is the applicant a foreign government or the representative of any foreign government?	YES	NO
30. Is the applicant an alien or the representative of an alien?	YES	<b>✗</b> NO
31. Is the applicant a corporation organized under the laws of any foreign government?	YES	<b>⋉</b> NO
32. Is the applicant a corporation of which more than one-fifth of the capital stock is owned of record or voted by aliens or their representatives or by a foreign government or representative thereof or by any corporation organized under the laws of a foreign country?	YES	NO
33. Is the applicant a corporation directly or indirectly controlled by any other corporation of which more than one-fourth of the capital stock is owned of record or voted by aliens, their representatives, or by a foreign government or representative thereof or by any corporation organized under the laws of a foreign country?	YES	NO
34. If any answer to questions 29, 30, 31, 32 and/or 33 is Yes, attach as an exhibit, the identification of the aliens or foreign entities, their nationality, their relationship to the applicant, and the percentage of stock they own or vote.		
BASIC QUALIFICATIONS		
35. Does the applicant request any waivers or exemptions from any of the Commission's Rules?  If Yes, attach as an exhibit, copies of the requests for waivers or exceptions with supporting documents.	YES	X NO
36. Has the applicant or any party to this application had any FCC station authorization or license revoked or had any application for an initial, modification or renewal of FCC station authorization, license, or construction permit denied by the Commission? If Yes, attach as an exhibit, an explanation of the circumstances.	YYES	NO
37. Has the applicant, or any party to this application, or any party directly or indirectly controlling the applicant ever been convicted of a felony by any state or federal court? If Yes, attach as an exhibit, an explanation of the circumstances.	YES	X NO
38. Has any court finally adjudged the applicant, or any person directly or indirectly controlling the applicant, guilty of unlawfully monopolizing or attempting unlawfully to monopolize radio communication, directly or indirectly, through control of manufacture or sale of radio apparatus, exclusive traffic arrangement or any other means or unfair methods of competition? If Yes, attach as an exhibit, an explanation of the circumstances.	YES	<b>⋉</b> NO
39. Is the applicant, or any person directly or indirectly controlling the applicant, currently a party in any pending matter referred to in the preceeding two items? If Yes, attach as an exhibit, an explanation of the circumstances.	YES	<b>⋉</b> NO
40. If the applicant is a corporation and is applying for a space station license, attach as an exhibit the names, addresses, and citizenship stockholders owning of record and/or voting 10 percent or more of the Filer's voting stock and the percentages so held. In the case control, indicate the beneficiary(ies) or class of beneficiaries. Also list the names and addresses of the officers and directors of the	of fiduciary	
41. By checking Yes, the undersigned certifies, that neither the applicant nor any other party to the application is subject to a denial of Federal benefits that includes FCC benefits pursuant to Section 5301 of the Anti-Drug Act of 1988, 21 U.S.C. Section 862, because of a conviction for possession or distribution of a controlled substance. See 47 CFR 1.2002(b) for the meaning of "party to the application" for the	e (A) 1155	NO
42a. Does the applicant intend to use a non-U.S. licensed satellite to provide service in the United States?  If yes, answer 42b and attach an exhibit providing the information specified in 47 C.F.R. § 25.137, as appropriate. If no, proceed to question 43.	YES	NO
42b. What administration has licensed or is in the process of licensing the space station? If no license will be issued, what administration has coordinated or is in the process of coordinating the space station?		

_		······································		
	AND/OR IMPRISONMENT ZATION (U.S. Code, Tide 47,	NISHVBLE BY FIVE A STATION AUTHORI SO3).	FALSE STATEMENTS MADE ON THIS FORM ARE PUY (2011)), AND/OR REVOCATION OF ANY (2013)), AND/OR PORFEITURE (U.S. Code, Title 47, Section	WILLFUL (U.S. Code Section 31
	48. Date 6/5/03		-20/2 Marker How	enutangi2 .74
I	ent and General Counsel	Senior Vice Presid	kowitz	David K. Mos
١		46. Title of Person Signing	gningi2 re	45. Typed Name of Perso
I	f. Other (Please specify)	e. Governmental Entity		
l		,	n): (Place an "X" in the box next to applicable response.)	44. Applicant is a (a
	ents made in exhibits are a material part nercol by certifies that all statements made in this	4) CFK Part 20. All statemery and for the applicant, hereb	ives any claim to the use of any particular frequency or of the electromagnetic of the same, whether by license or otherwise, and requests an authorization in a fine cause the applicant to be in violation of the spectrum aggregation limit in ted herein as if set out in full in this application. The undersigned, individually all attached exhibits are true, complete and correct to the best of his or her kn	application would
		N	CEKLIEICATIO	
ŀ				
ł				
Ì				
I				
ł				
ł				
Ì			Response to Question 40	8
١			Response to Question 36	A
			Identify all exhibits that are attached to this application.	Exhibit No.
1				
	. The state of the	The second secon	the state of the s	
	and the second of the second s	and the second s	and the second	
	2010	0.00 011 M	SCIVICE: ECHOORE INTERIOR TO RECIDE THE SECURIC THE	COO IOI DASTI
			service. EchoStar intends to launch this satellite into	
į	een allocated and are currently	uencies that have b	z downlink frequencies and 17.3-17.8 GHz uplink freq	12.2-12.7 GHz
	ans gaisin ( 'Sau') aniilases ise	ate a Ulrect Broadca	by applies for authority to construct, launch and opera	EchoStar here
	A SHOT WOOD THE TOTAL	, <b>u</b> , <b>u</b>	mmarize the nature of the application and the services to be provided).	
	E .			_, , , , ,

#### **Response to Question 36**

In a Memorandum Opinion and Order released May 16, 2002, the Satellite Division of the International Bureau cancelled two conditional construction permits held by EchoStar affiliates for 22 channels at the 175° W.L. orbital location See In the Matter of EchoStar Satellite Corporation, Directsat Corporation, Direct Broadcasting Satellite Corporation, Consolidated Request for Additional Time to Commence Operation, Memorandum Opinion and Order, DA 02-1164 (rel. May 16, 2002).

By Order released July 1, 2002, the International Bureau cancelled EchoStar's license for a Ka-band satellite system and dismissed a related modification application filed by EchoStar. See In the Matter of EchoStar Satellite Corporation; Application for Authority to Construct, Launch, and Operate a Ka-band Satellite System in the Fixed-Satellite Service, Memorandum Opinion and Order, DA 02-1534 (rel. July 1, 2002). On November 8, 2002, the International Bureau reinstated license for a Ka-band system and reinstated the related modification application. See In the Matter of EchoStar Satellite Corporation; Application for Authority to Construct, Launch, and Operate a Ka-band Satellite System in the Fixed-Satellite Service, Memorandum Opinion and Order, DA 02-3085 (rel. Nov. 8, 2002).

#### **Response to Question 40**

# OWNERSHIP AND CORPORATE OFFICERS AND DIRECTORS

#### **OWNERSHIP**

EchoStar Satellite Corporation is an indirect, wholly-owned subsidiary of EchoStar Communications Corporation (a Nevada corporation). The stockholders owning of record and/or voting 10 percent or more of the voting stock of EchoStar Communications Corporation include:

Ownership Interest	Citizenship	Approx. Equity Interest <sup>1</sup>
Charles W. Ergen <sup>2</sup> Chairman and CEO EchoStar Communications Corporation 5701 South Santa Fe Littleton, CO 80120	USA	50.1%
Fidelity Management and Research Corporation 82 Devonshire Street Boston, MA 02109	USA (Massachusetts corporation)	15.3%

<sup>&</sup>lt;sup>1</sup> As of March 21, 2003. Mr. Ergen and Fidelity Management and Research Corporation have an approximately 91% and 1% voting interest, respectively, in EchoStar Communications Corporation, as of March 21, 2003.

<sup>&</sup>lt;sup>2</sup> Includes both Class A common and Class B common stock ownership. Class B common stock is owned through a family trust.

# CORPORATE OFFICERS AND DIRECTORS<sup>3</sup>

# **EchoStar Communications Corporation**

#### **Executive Officers:**

Charles W. Ergen - Chief Executive Officer
Soraya Cartwright - Executive Vice President - DISH Network
James DeFranco - Executive Vice President
Michael T. Dugan - President and Chief Operating Officer
David K. Moskowitz - Senior Vice President, General Counsel and Secretary
Steven B. Schaver - President - EchoStar International Corporation
Michael R. McDonnell - Senior Vice President and Chief Financial Officer
Mark W. Jackson - Senior Vice President - EchoStar Technologies Corporation
Michael Schwimmer - Senior Vice President of Programming
Michael Kelly - Senior Vice President - DISH Network Service Corporation
O. Nolan Daines - Senior Vice President - Executive Transition Team

#### **Board of Directors:**

Charles W. Ergen - Chairman Steven R. Goodbarn James DeFranco David K. Moskowitz Peter A. Dea Cantey M. Ergen Raymond L. Friedlob

<sup>&</sup>lt;sup>3</sup> The address for all officers and directors of EchoStar Communications Corporation and EchoStar Satellite Corporation is 5701 South Santa Fe, Littleton, CO 80120.

# **EchoStar Satellite Corporation**

# **Executive Officers:**

Charles W. Ergen- President and Chief Executive Officer

Soraya Cartwright: Executive Vice President James DeFranco: Executive Vice President

David K. Moskowitz: Senior Vice President, General Counsel and Secretary

#### **Board of Directors:**

Charles W. Ergen - Chairman James DeFranco David K. Moskowitz

READ INSTRUCTIONS CAREFULLY BEFORE PROCEEDING						Approved by OMB							
<b></b>		OMMUNICATIONS (		ON		3060-0589 Page No <u>1</u> of <u>2</u>							
(1) LOCKBOX # 358210	KEr	MITTANCE ADV	VICE	Γ	SPECI	AL USE							
(1) LOCKBON # 336210				Ì	FCC U	SE ONLY							
	SECTIO	N A - PAYER INFOR	MATION	L									
(2) PAYER NAME (if paying by credit card,			<u> </u>	(3)	TOTAL	AMOUNT PAID (U.S. Dollars and cents)							
Steptoe & Johnson LLP						\$31,445.00							
(4) STREET ADDRESS LINE NO. 1 Attn: Pantelis Michalopoulos													
(5) STREET ADDRESS LINE NO. 2 1330 Connecticut Avenue, N.W	•												
(6) CITY Washington					STATE C	(8) ZIP CODE <b>20036-1795</b>							
(9) DAYTIME TELEPHONE NUMBER (inc. (202) 429-6494	lude area code)	(10) COUNTRY CODE	(if not in U.S	.A.)									
		) AND TAX IDENTI	FICATION	NUMBER	(TIN)	REQUIRED							
(11) PAYER (FRN)		(12) PAYER (TIN)											
0003-7546-29		521349790											
		CANT NAME ARE D ANT, USE CONTINU											
(13) APPLICANT NAME EchoStar Satellite Corporation													
(14) STREET ADDRESS LINE NO. 1 Attn: David K. Moskowitz													
(15) STREET ADDRESS LINE NO. 2 5701 South Santa Fe		dr. 8-											
(16) CITY Littleton					STATE	(18) ZIP CODE <b>80120</b>							
(19) DAYTIME TELEPHONE NUMBER (in (303) 723-1000	aclude area code)	(20) COUNTRY CODE (	if not in U.S.	A.)									
		) AND TAX IDENTI	FICATION	NUMBER	(TIN)	REQUIRED							
(21) APPLICANT (FRN) <b>0004-2658-80</b>		(22) APPLICANT (TIN) 841114039											
COMPLETE SECTION C F	OR EACH SERVIC	CE, IF MORE BOXES	ARE NEE	DED, USE	CONT	TINUATION SHEET							
23A) CALL SIGN/OTHER ID EchoStar 96.5 W.L.		(24A) PAYMENT TY MTD	PE CODE	(25A) QUA <b>1</b>	NTITY								
26A) FEE DUE FOR (PTC) <b>\$2,865.00</b>	(27A) TOTAL FEE	\$2,865.00	FCC USE	ONLY									
(28A) FCC CODE 1	(29A) FCC CC	ODE 2											
(23B) CALL SIGN/OTHER ID		(24B) PAYMENT TY	PE CODE	(25B) QUA	NTITY								
EchoStar 96.5 W.L. (26B) FEE DUE FOR (PTC)	(27B) TOTAL FEE	MXD	FCC USE	1 ONLY									
\$27,780.00 (28B) FCC CODE 1	(29B) FCC CC	ODE 2											
	SECT	TION D - CERTIFICA	TION										
(30) CERTIFICATION STATEMENT	SEC I	JOND - CERTIFICA											
I, David K. Moskewitz the best of my knowledge, information and be		ify under penalty of perjur		egoing and s		g information is true and correct to FE_6/5/03							
	SECTION E - CRE	DIT CARD PAYMEN	NT INFORM	MATION									
(31) MASTERCAR	D/VISA ACCOUNT NU					EXPIRATION							
MASTERCARD MASTERCARD						DATE:							
VISA I hereby authorize the F	CC to charge my VIS	SA or MASTERCARD	for the servi	ce(s)/autho	rization	herein described.							
SIGNATURE	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,		-	_ DATE		SIGNATURE DATE							

# REMITTANCE ADVICE (Continuation Sheet)

#### FEDERAL COMMUNICATIONS COMMISSION

SPECIAL USE	
FCC USE ONLY	

						APPLICANT
	ECTIO	N BB - ADD	ITIONA	L APPLICA	NT INFO	RMATION
(13) APPLICANT NAME						
(14) STREET ADDRESS LINE NO. 1	<del></del>					
(15) STREET ADDRESS LINE NO. 2						
(16) CITY						(17) STATE (18) ZIP CODE
(19) DAYTIME TELEPHONE NUMBER (inc	clude are	ea code)	(20) COU	NTRY CODE	(if not in U.S	S.A.)
FCC PECISTRATIO	N NIIN	MRED (FDN)	ANDT	AY IDENTIF	TCATION	NUMBER (TIN) REQUIRED
(21) APPLICANT (FRN)	111101			ICANT (TIN)	ICATION	THUMBER (THY) REQUIRED
IF MORE BOXES ARE NEEDI						ON SHEETS TO LIST EACH SERVICE
		SECTION C				
(23A) CALL SIGN/OTHER ID EchoStar 96.5 W.L.			MPD	PAYMENT TY	PE CODE	(25A) QUANTITY  1
(26A) FEE DUE FOR (PTC) \$800.00	(27A) T	TOTAL FEE		\$800.00	FCC USE	ONLY
(28A) FCC CODE 1	<u> </u>	(29A) FCC CO	DE 2			
(22D) CALL SIGNIOTHER ID		<u> </u>	(24D) I	PAYMENT TY	DE CODE	(25B) QUANTITY
(23B) CALL SIGN/OTHER ID			(24B) I	AYMENI IY.	PE CODE	(25B) QUANTITY
(26B) FEE DUE FOR (PTC)	(27B) T	OTAL FEE			FCC USE	ONLY
(28B) FCC CODE 1		(29B) FCC CO	DE 2		: . <del></del>	
(23C) CALL SIGN/OTHER ID			(24C) I	PAYMENT TY	PE CODE	(25C) QUANTITY
(250) CALL SIGNOTTIER ID	,		(240)1		I E CODE	(250) QOMMIT
(26C) FEE DUE FOR (PTC)	(27C) T	OTAL FEE			FCC USE	ONLY
(28C) FCC CODE 1		(29C) FCC CO	DE 2			
CALL SIGNOTHER ID	There.		K24D) I	PAYMENT TY	DE CODE	(25D) QUANTITY
(23D) CALL SIGN/OTHER ID			(24D) I	AIMENI II.	re code	(23D) QOANTITI
(26D) FEE DUE FOR (PTC)	(27D) T	OTAL FEE			FCC USE	ONLY
(28D) FCC CODE 1		(29D) FCC CO	DE 2			
(23E) CALL SIGN/OTHER ID			(24E) P	AYMENT TYI	PE CODE	(25E) QUANTITY
(26E) FEE DUE FOR (PTC)	(27E) T	OTAL FEE			FCC USE	ONLY
	<u> </u>				TOO CDE	
(28E) FCC CODE 1		(29E) FCC CO	DE 2			
(23F) CALL SIGN/OTHER ID		<u></u>	(24F) P	AYMENT TYP	PE CODE	(25F) QUANTITY
(26F) FEE DUE FOR (PTC)	(27F) T	OTAL FEE			FCC USE	ONLY
(28F) FCC CODE 1		(29F) FCC COI	DE 2			
				<del></del>		

VENDOR #	T		VENDOR NAME		CHECK #	CHECK DATE
0261	FEDERAL C	COMMUNICATIONS C			347731	06/04/2003
VOUCHER#	INV DATE	INVOICE #	COMMENTS	GROSS	DISCOUNT	AMOUNT PAID
			· · · · · · · · · · · · · · · · · · ·	GROSS 31,445.00		<del></del>
CUSTOMERI			CHECK TOTALS	31,445.00	0.00	31,445.00

## WARNING - THIS CHECK IS PROTECTED BY SPECIAL SECURITY GUARD PROGRAM™ FEATURES

## STEPTOE & JOHNSON LLP

1330 CONNECTICUT AVENUE, N.W. WASHINGTON, D.C. 20036-1795 (202) 429-3000

**CHECK NUMBER: 347731** 

VENDOR NUMBER: 0261

CHECK DATE:

<u>15-122</u> 540

\$31,445.00\*\*\*\*

PAY TO THE ORDER OF

FIRST UNION NATIONAL BANK

OF WASHINGTON, D.C.

**VOID AFTER 180 DAYS** 

FEDERAL COMMUNICATIONS COMMISSION

THIRTY-ONE THOUSAND FOUR HUNDRED FORTY-FIVE AND 00/100 Dollar

SECURE FEATURES INCLUDE INVISIBLE FIBERS - MICROPRINTING - VOID FEATURE PANTOGRAPH - ENDORSEMENT BACKER - BRO

#347731# #054001220# 2000032566987#